

# USA

## Dust Guard



Div. of Scott Electric • 412-605-2992 (#Direct)

# Generators, Inverters – Yamaha & Firman – HD Construction Durability

**Premium Brushless Alternators**  
**Yamaha Engines with Oil Warning**  
**Premium Quite Package**  
**Easy to Read Control Panel**  
**Extended Run Fuel Tanks**  
**Less than 1% harmonic Distortion**

### 3 Year Yamaha Warranty

Free Shipping within our  
4-state delivery zone  
or \$6000 Orders.

**100% Copper Windings**  
**Tough Roll Cages or Enclosures**  
**EPA & CARB Compliant**  
**GFCI Electrical Interrupt Protection**  
**Load Sensing Throttled Inverters**  
**Safe for all Sensitive Electronics**



EF2200iS - 2200 Watt

- (2) 20 Amp Outlets
- (1) 30 Amp Outlet
- Max 120v Amps: 18.3
- 55 lbs.
- Sale Price: **Please Call**



EF4500iSE - 4500 Watt

- Electric Start
- (2) 20 Amp Outlets
- (1) 30 Amp Outlet
- Max 120v Amps: 37.5
- 194 lbs.
- Sale Price: **Please Call**



EF2600 - 2600 Watt

- Auto Decompression ~  
very easy pull starting
- (2) 20 Amp Outlets
- (1) 30 Amp Outlet
- Max 120v Amps: 21.6
- 93 lbs.
- Sale Price: **Please Call**



EF5500DE - 5500 Watt

- Auto Decompression
- (4) 20 Amp Outlets
- (1) 30 Amp Outlet
- (1) 30 A 120/240v Outlet
- Max 120v Amps: 44.0
- Max 240v Amps: 22.9
- 244 lbs.
- Sale Price: **Please Call**



EF7200DE - 7200 Watt

- Auto Decompression
- (4) 20 Amp Outlets
- (1) 30 Amp Outlet
- (1) 30 A 120/240v Outlet
- Max 120v Amps: 60.0
- Max 240v Amps: 30.0
- 246 lbs.
- Sale Price: **Please Call**

# FIRMAN Generators

**Firman P08003**

**Gas Generator**

**Starting Watts = 10,000W**

**74 dB**

**12 hr. run-time at 50% load.**

**Running Watts = 8000W**

**1.2 in. steel tubing**



**10 " never-flat wheels**

**439cc**

**Electric Start**

**8 gallon tank**

**Quiet muffler**

**CARB Approved**

**Includes remote start FOB**

**Built To Last — Loaded with Innovative Features —**

**— Impressive Durable Quality — 3 Year FIRMAN Engine Warranty —**

**ABOUT FIRMAN** - Private label manufacturer for Coleman, Homelite, Gravely, Kohler, Ridgid, others. Of the Top 3 ranked generators in Consumer Reports (Honda, Ridgid and Kohler), the Ridgid and Kohler units were manufactured by FIRMAN. In 2015, FIRMAN brought their manufacturing expertise to North America for sales under the FIRMAN brand.

# USA

## Dust Guard



Div. of Scott Electric • 412-605-2992 (#Direct)

# Firman Generators

## Portable Power



**PO1201**  
(#19238)

Please call for price

1500 / 1200  
Watt

67 DB at 23 ft  
208 cc Firman

Engine

1.7 Gal Fuel Tank: 10 Hr run time at 50% Load

Max 120v Amps: 20

Outlets: (2) 120V Standard (5-20 Duplex)

Recoil start, Brushed alternator, Fuel gauge, Low oil shutdown, 3/4" Steel tube frame

Size: 17.5"l x 15.1"h x 14"d, Weight: 54 lbs.



**PO3602**  
(#19244)

Please call for price

4550 / 3650  
Watt

67 DB at 23 ft  
208 cc Firman  
Engine

5 Gal Fuel Tank: 14

Hr run time at 50% Load

Max 120v Amps: 30

Outlets: (1) L5-30R, (1) TT-30R [RV Ready] (1) 120V Standard 5-20R Duplex

Recoil start, Brushed alternator, Fuel gauge, Low oil shutdown, 1" Steel tube frame, Weight 108.5 lb.

Size: 25.5"l x 22.7"h x 22.4"d (includes wheels and handle)

Automatic Voltage Regulator & Data-Minder monitors Volts, Hz, Hours and Low Oil



**PO5701**  
(#19247)

Please call for price

7125 / 5700  
Watt

72 DB at 23 ft  
389 cc Firman  
Engine

8 Gal Fuel Tank: 13

Hr run time at 50% Load

Max 120v Amps: 30

Outlets: (1) L14-30R Twistlock 30A-120/240VAC, (1) L5-30R 30A-120VAC, (2) 5-20R 120V 20A Duplex GFCI Type

Recoil start, Brushed alternator, Fuel gauge, Low oil shutdown, 1" Steel tube frame, Weight 178 lb.

Size: 27.5"l x 27.2"h x 27.5"d (includes wheels and handle)

Automatic Voltage Regulator & Data-Minder monitors Volts, Hz, Hours and Low Oil



**PO8003**  
(#19249)

Please call for price

10000 /  
8000 Watt

74 DB at 23 ft  
439 cc Firman  
Engine

8 Gal Fuel Tank: 12

Hr run time at 50% Load

Max 120v Amps: 50

Outlets: (1) 4-50R 120V/240V – 50A, (1) TT-30R (RV Ready) 120V – 30A, (1) L14-30R 120V/240V – 30A Twistlock, (1) L5-30R 120V – 30A, (2) 5-20R Duplex GFCI 120V – 20A

Recoil & Electric Start, Brushed alternator, Fuel gauge, Low oil shutdown, 1-1/4" Steel tube frame, Weight 210 lb.

Size: 28.4"l x 26.8"h x 27.9"d (includes wheels and handle)

Automatic Voltage Regulator & Data-Minder monitors Volts, Hz, Hours and Low Oil