

USA

Dust Guard



120 Volt — High Production Grinders (3)

EACH MACHINE DOES IT ALL

GRIND CONCRETE ! COATING REMOVAL
POLISH ! SAND ! SCARIFY CONCRETE



Division of Scott Electric • 412-605-2992

— From a 15 Amp 120 Volt Circuit —

17", 20" Severe-Duty Concrete Grinders

— Takes Productivity to Another Level

Unsurpassed in Power, Performance, Durability, Simplicity, Versatility

Well Equipped:

- 360° Integrated Dust Pick-Up - collects airborne dust and floor debris in the brush cover and directs it upwards to the 2" vacuum port
- Floating head - follows the contour of the floor to ensure flat and uniform grinding and polishing results ~ prevents digs and ring marks
- Powered by TEFC Motor (Totally Enclosed Fan Cooled) - protected from dust, debris, slurry
- 11:1 Gear Ratio w/ High Torque & XHD Gears to drive scrapers & diamonds
- **Wheels-Down Machine** - 100% increase in productivity vs. a wheels-up / swing machine. Additionally, there's NO learning curve with a wheels-down machine (you're not fighting against the swing movement.)

DIRECT DRIVE GEARBOX: Maintenance is minimal and simple. Torque and motor efficiency is maximized resulting in lower amp draw and friction loss.

Vs. BELT-DRIVE PLANETARY GEARBOX: Produces higher RPM speeds for concrete polishing, torque is drastically less, maintenance and belt replacement is constant.

USA ENGINEERED & BUILT

- Foot operated 'tilt back' for easy transporting
- Dual steel operating triggers with negative pressure on/off switch
- Disassembles for easy handling down stairs
- 2" x 8" non-marking load bearing, ball bearing wheels
- Thumb-operated safety switch with comfort cushion grips
- Includes removal weight set: (4) 20 lb plates and locking pins.

Includes: Diamond Driver Plate - with (12) tooling slots: (6) for 3" round resin & semi-metal diamonds, (6) for trapezoid diamonds (metals, tungsten cutters, PCD's.)

< [For additional plate & tooling info click here](#) >



Specifications: Severe Duty, 120 Volt Direct Drive Grinders

Model	F75-17B	\$3,631.00	F75-20B	\$3,798.00
Machine Size	17"		20"	
Pad Size / Speed	16" / 165 RPM		19" / 165 RPM	
Direct-Drive Coupler	Steel - not fiberglass which breaks			
Plate Rotation	Counterclockwise (as viewed from the handlebars)			
Max Amp Draw / Weight	7.9 Amp / 233 lbs.		8.5 Amp / 235 lbs.	
Warranty	1-Year			
Motor	1.5 HP, 180 Frame TEFC Dual Capacitor AC			
Power	120 - 240V, 60 Hz Power			
Power Cord	50 ft 2-pc (12-3) SJTOW w/ Yellow Twist Lock			
Drive System	Triple-XHD 11:1 Helical-Cut Industrial Gears			



Includes 80 lbs of weighted plates with locking pins.



Integrated 360° Dust Apron — directs debris to the vacuum port.



5 handle positioning heights with pin-set lock.



Built-In Dust Control with 2" vacuum port.



Backed by the best warranty - these machines don't break down!

USA

Dust Guard



26" Dual-Head Grinder

120 V Direct Drive – Low Amp Draw

Dual Voltage - Switch from 120v 14.9 Amp Draw to 240 Volt

Division of Scott Electric • 412-605-2992

Grind ! Scarify ! Coating Removal ! Polish

HAWK GP26 dual motor floor surfacing machine is a high production low fatigue grinder for concrete floor technicians. Cover 26" per pass running from 120 volt 20 amp circuit. A USA engineering design uses an AC 120-240V 50/60 Hz motor (2) that easily converts *in the field* from 120 to 240 volt.

Use for grinding, polishing, coating and sealer removal, scarifying and deep cleaning concrete, natural stone and other hard surfaces. Engineered to finish within 1/2" of walls. Operators can use the dual forward and reverse plate driver switch for navigating irregular surfaces and obstacles with ease.

Two-piece design allows the handle-carriage to be easily separated from the dual motor head – advantageous when the grinder needs transported to hard to reach locations such as basements or mezzanines.

Includes: (2) 13" Diamond Driver Plates - each with (6) tooling slots: (3) for 3" round resin & semi-metal diamonds and (3) for trapezoid diamonds (metals, tungsten cutters, PCD's.) < [For additional plate & tooling info click here](#) >



26" GRINDER - WELL EQUIPPED & USA ENGINEERED & BUILT

- Control center is front & center to the operator
- Floating heads - ensures the tooling grinds or scrapes flat and fast, follows the floor's contour, prevents dig and ring marks
- Powered by a TEFC (Totally Enclosed Fan Cooled) Motors - motor is protected from dust, debris and slurry
- 11:1 *Direct Drive* Gear Ratio - torque to drive scrapers & metal diamonds
- 3-position handle for transport, operation and storage ! 6-gallon solution tank
- 120 lumen LED lights (2-Sides, 2-Forward) ! 2" x 10" grooved non-marking transport wheels
- Detachable handle-carriage for transport ! Dual AC-TEFC Motors with 11:1 XHD gears
- Removable collar weights ! Built-in dust control with 2" exhaust port.



Specifications: GP26 Direct Drive, 120 Volt Grinder: \$6,593.00

Model	F61-26
Machine Size	26"
Pad Size / Speed	13" x 2 / 165 RPM
Direct-Drive Coupler	Steel - not fiberglass which breaks
Plate Rotation	Clockwise & Counterclockwise
Max Amp Draw / Weight	14.9 Amp / 348 lbs.
Warranty	1-Year
Motor (2)	1.0 HP, 180 Frame TEFC Dual Capacitor AC
Power	120 - 240V, 60 Hz Power
Power Cord	50 ft 2-pc (12-3) SJTOW w/ Yellow Twist Lock Plug
Drive System	Triple-XHD 11:1 Helical-Cut Industrial Gears



Carriage mounts with lock pins for easy removal.



Finish to within 1/2" of walls.



Counter-Rotating Tools / Drivers.



Diamonds, PCD's, carbide scrapers - easy mount.

USA

Dust Guard



Division of Scott Electric • 412-605-2992

Planetary Polishing ~ 400-RPM

Counter-Rotating Heads (6)

Optional Driver for Concrete & Stone Polishing!



Orbitec Diamond Plate with
(6) 3" Diamond Pad Holders

— Plate Spins Counterclockwise @ 175 RPM —
— (6) Heads Spin Clockwise @ 400 RPM —
(Rotations, as viewed from the handlebars)



Orbitec Driver Plate (bottom view)
with Steel Milled Clutch Plate

Professional Polishing of Concrete & Stone Floors

Planetary Design - 400 RPM, Counter-Rotating Heads (6)

Increases Diamond Speed from 165 to 400 RPM!

- (6) Independent, Counter-Rotating Heads: Completely sealed from debris & slurry, spin 3" diamond resin pads at 400 RPM – 60% faster than the *clockwise spinning* "Orbitec" Driver Plate
- Professional Polishing Results: the planetary action allows the grinder to smoothly move across floors with ease, providing greater torque at starting then transfers to the individual heads (6) to increased RPM speed for professional polishing of concrete and stone floors
- Steel Milled Clutch Plate: HD durability, provides easy on-and-off mounting of the Orbitec Driver Plate.
- Three Sizes: 13", 17" and 20"
- Electroplated 1/2" Thick Steel Plates: built with replaceable pedestal heads. Black electrostatic powder coating resists corrosion and scratching.
- Plates mount to most conventional designed 3-tab floor machines.
- 6-Heads with hook'n loop facing, securely mount and hold 3" round diamond pads
- Diamond pads, shown below, are quickly changed without shop tools
- [To order Diamond Pads, click here.](#)



Specifications

Model	13" Orbitec Tool Driver	17" Orbitec Tool Driver	20" Orbitec Tool Driver
Item No	HP0013	HP0017-3	HP0020-3
Driver Diameter	12.5"	16.5"	19.5"
Weight	25 lbs.	46 lbs.	64 lbs
Price	\$ 696.00	\$ 860.00	\$ 879.00



Semi-Metal (30 - 400 Grit) & Resin Polishing Pads (50 - 300 Grit)



Orbitec driver plate rotates at 175 RPM, individuals heads (6) rotate counter-clockwise at 400 RPM.

[To order Orbitec Polishing Driver Plates online, click here.](#)